OR MASS

Town of Abington

500 GLINIEWICZ WAY ABINGTON, MA 02351

Board of Selectmen Meeting June 2, 2014 6:00 p.m. Cotter Room

Members present: Ken Coyle, Andy Burbine, Mike Franey, Tom Dion, Maureen Jansen

- Pledge of Allegiance
- Public Announcements: Chairman announces that the 14th Annual Fishing Derby is to be held on June 7, 2014, and the Special and Annual Town Meetings are to be held on June 9, 2014
- Action/Discussion items:
 - 1. Discussion on the remaining articles for the Special and Annual Town Meeting, June 9, 2014 (attached)

Article 1-M/Burbine to pass over

S/Franey

Voted 5-0

Article 4-Hold

Article 11-M/Franey to Passover

S/Jansen

Dion, no

Voted 4-1

Article 12-Hold

Article 21-M/Burbine to approve only if Town Counsel believes it is necessary or advisable.

S/Franey

Voted 5-0

Article 26- Fire Chief Nuttall provided information addressing the ladder truck replacement. (attached)

M/Franey to approve and authorize to borrow up to 1.2 million dollars.

S/Dion for discussion. – Maybe we should consider transferring the funds from stabilization, let's put the wheels in motion though if it can't be repaired, just not to pigeon hole a funding source. Burbine agrees and we should set up a committee

Page 1

consisting of a Town Manager, member of Finance Committee, member of Board of Selectmen and the Fire Chief for what to buy, and we should decided now if we want a debt exclusion.

Voted 5-0

2. Public Comment - none

M/Burbine to enter into executive session for the purposes of discussing strategies pertaining to the Abington Manager's Association, and not to reconvene to open session S/Franey

Jansen, aye; Dion, aye; Franey, aye; Burbine, aye; Coyle, aye Voted 5-0

Meeting adjourned: 7:30 p.m.

Respectfully submitted,

Dori R. Jamieson Assistant Town Manager

	4		7	-	A common community of management of page 2 of the same management	X CCE #	A 4	province and delicate the second seco	 And the second in community and property in the second in the second	
Agreements	Find Collective Paradising A management staff	Wage and Classification Plan for	Professional Assistance Porgadia Ci	End of Year Inter Distant Transfer		Article Summary			JUNE 9, 2014	SPECIAL TOWN MEETING SUMMARY
\$	\$ 9,000.00	\$ 5,000.00	\$			\$\$\$	7/1			
See Attached Motion	9,000.00 Health Insurance Line Item	5,000.00 Health Insurance Line Item	See Attachment		The state of the s	Funding Source				· ·

.

Not Applicable Debt Authorization				
Not Applicable	\$ 1,200,000.00	v>	Approve debt authorization for Ladder/Tower Fire Truck	26
		٠	Zoning ByLaw: Marijuana Dispensaries	25
Not Applicable	,	\$ 04 51	Approve By-Law broadening authority to require payment of obligations to town	24
Not Applicable		ጭ	Approve establishment of South Shore Vo-Tech Stabilization Fund	23
Not Applicable		•	Approve Intermunicipal Agreement with South Shore Recycling Cooperative	22
Not Applicable		ጭ	Amend "General Code" (housekeeping)	21
Not Applicable		₩.	By-Law Amendment: Update Permit to Dump (Chapter 2, Section 10)	20
Not Applicable	and the second s	45	Request to Adopt Pawnbroker Licensing By-Law	19
Not Applicable		ۍ.	Amend Charter to create a Department of Public Works	₩ ₩
Not Applicable		₩	Amend Charter Section 3-16 regarding filling committee vacancies	17
NO Applicave	1	·	By-Law Amendment: Reduce Town Meeting Quorum to 75	16
Raise & Appropriate	14,000.00	· w	Out of District Vo-Technical Transportation Funding	5
Existing Article	75,000.00	·	Transfer Funds from Garavanta article for purchase of textbooks	14
Not Applicable		۲ o	Re-authorization of Revolving Funds	13
Not Applicable	1	1/5	Accept New Roadways	12
Not Applicable		4	Request to Adopt the Community Preservation Act	11
xaise & Appropriate	5,000.00	ţ,	Petition by A New Day	16
Water Undesignated Fund balance	50,000.00	- - - -	Water Capital: Upgrade Servers and Billing Software	9
Water Undesignated Fund Balance	50,000.00	v	Water Capital: Purchase Water Meters	∞ :
Water Undesignated Fund Balance	35,000.00	ŝ	Water Capital: Heavy Duty Pick-Up Truck	7
Raise & Appropriate	1,500.00	w	Hazardous Waste Collection Day Funding	n (
Raise & Appropriate	19,065.00	ጭ	Fire Department Contractual Sick Leave Buy Back	J.
Raise & Appropriate	2,552.00	พ	Flerted Official Salary (Town Clerk)	Δ
			Transfer from Water Special Revenue Fund \$ 431,248 (Debt Service)	
			Transfer from Golf Enterprise Fund \$2.447 (Indirect Costs)	
			Transfer from Ambulance Fund \$134.177 (Indirect Costs)	
			Transfer from Water Special Newside Folia 7 17,044 (manufacture)	
		_}	Transfer from Stabilidation ruling a crossocial State 2 821 (Indirect Costs)	
			Raise & Appropriate \$ 40,938,971	
See Description	42,036,856.00	v	Budget Article	3
Water Salary Line Item	7,636.14	- 1	Water Department Contractual Sick Leave Buy Back	2
Fund Balance			Water Department Fernion Gamera	۰
Water Undesignated Fund Balance &	163.933.11	s		
Funding Source/Comments	\$\$\$	<u> </u>	Description	Article #
JOINE J, LUAT			ANNUAL TOWN MEETING SUMMAKY	

Dori Jamieson

From:

John M. Nuttall

Sent:

Friday, May 30, 2014 1:06 PM

To:

Rick LaFond; Andy Burbine; Dori Jamieson; Ken Coyle; Maureen Jansen; Tom Dion;

Subject:

mwfraney@msn.com RE: Ladder/tower truck

Dear Honorable Board of Selectmen,

In order to prepare for Monday night's meeting, I have provided a few points to you that may assist in addressing questions, rumors or concerns that I have begun to hear around town regarding the ladder truck replacement.

These began as my working notes, however I felt that they may also prove helpful to you to understand prior to Monday.

Please feel free to ask me if you need any further clarification on these, or other questions which you may have.

Ladder Truck Questions/Issues:

- 1. The Ladder was NOT damaged at the Fire Academy, nor has it ever been there. It simply rusted through and weakened, and was discovered prior to other major repairs that were scheduled.
- 2. Thankfully the damage was discovered prior to any accident which could have occurred with a firefighter climbing it.
- 3. It is simply not feasible to repair the truck- this is NOT a simple repair from a weld- it is a 4' long crack along a double C-channel main beam; In addition, there are Hydraulic issues; Waterway issue; Age of the vehicle; original motor, transmission, etc.
- 4. Parts are difficult to find for this vehicle. The last few years required a custom built radiator repair, wheel rims replaced due to the unavailability of tube tires anymore, and we are facing a major waterway part that cannot be located.
- 5. It is my responsibility to order a firefighter to climb this aerial- I am NOT confident this will ever be safe again, and will not risk their injury or death on a vehicle that is already 6 years past its useable life expectancy.
- 6. I am not opposed to looking for a used aerial, ON A TEMPORARY BASIS ONLY, as long as funding for a new vehicle is first approved at Town Meeting. This is for several reasons: any "used" aerial was replaced for a reason, which could already be damaged or is in need of additional costly repairs; we need to outfit the vehicle for Abington's use (radio installations, equipment, etc.); Abington personnel would need to train on any "new" equipment, especially an aerial. This is critical, as there would probably be some issues unique to an older vehicle (parts or features that do not work properly, or at all- this would be expected from a vehicle that was just replaced for one reason or another).
- 7. Any aerial, new or used, will need to fit in our stations. While this sounds self-explanatory, there are several critical considerations:
 - 1. The best option would be to fit it at Station One (Bedford Street). This has proven difficult to find an aerial truck to fit at this station, due to the low doors and ceiling height. I do not feel it would be worth altering the station, as this would prove very costly, and the Rt. 18 widening project will be an issue in the future anyway.
 - 2. Any aerial that may fit in Station Two (Rockland Street) will need to also include a fire pump, hose and tank of water (a "quint"). Any first arriving fire truck needs the capability to immediately begin fire suppression, by using water. A dry ladder truck will not work for Abington if it is assigned at Station Two.
- 8. I understand the article asking for \$1.2 million is a large amount, however this is the ballpark we are in. If it is possible to find an aerial that would work for the Town of Abington at a cost less than this, then we will pursue it, however we will need the funding ability to proceed. I do not want to, nor do we have the luxury of time, to request more funding at a future town meeting in the event a figure of less than \$1.2 million is granted.

9. I also understand the trepidation of this article, as the Town went through this 27 years ago. One major difference between now and then, is the fact that back in 1986, Abington still had the ability to utilize the existing 1961 aerial ladder. We simply do not have that luxury today; the current ladder is not operational, and I strongly anticipate that it will not pass the next DOT safety inspection, scheduled for next week (this is conducted every June on this vehicle). If this does not pass the DOT inspection, it will be taken off of the road for everyone's safety.

Respectfully, John M. Nuttall 781-706-0637

John M Nuttall | Fire Chief
Abington Fire-Rescue & Emergency Services
1040 Bedford Street Abington, MA 02351
Tel: 781.982.2117 | Fax: 781.982.2104
Veritas et Vigiles

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the system manager. This message contains confidential information and is intended only for the individual named. If you are not the named addressee you should not disseminate, distribute or copy this e-mail. Please notify the sender immediately by e-mail if you have received this e-mail by mistake and delete this e-mail from your system. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited.